

Setting up a Bird count monitoring station

After undertaking pest eradication in an area, you will see a decline in catches and bait take, however, another way to see if there has been an improvement is to complete regular bird counts. Rappt.IO phone app has a bird count function to help you complete this.

A bird count should be held at the same time, date, and season as previously, however, any monitoring that is taking place is good, and will still show changes. The protocol for the 5-minute bird count is here


<https://www.doc.govt.nz/globalassets/documents/science-and-technical/inventory-monitoring/im-toolbox-birds-incomplete-five-min-counts.pdf>

To set up a Bird count station

You will need to add a monitoring station either via the phone app or [website](#) and select “monitoring type” - bird count.

Setting up a Bird-count station via the website

Click the install tab on the bottom right of the map window



demo 1

View Edit Members Project categories Devel



Create Monitoring station


Number / Code *

Location *



Monitoring type *

- Select a value -
- Select a value -
- Bird count**
- Camera
- Chew card
- Tracking tunnel
- Wax block
- camera lure



Adding a bird count monitoring station via the Rappt.IO mobile phone app


Click the install tab on the bottom right of the map window




Click the green tick that has opened up




Select the option of the monitoring station



Complete the code name, open the monitoring type, and select bird count



Save your new bird count monitoring station



The bird count station will display on the app as a bird



For instructions on how to use the bird count click here <https://help.rappt.io/books/rapptio-comprehensive-user-guide/page/bird-count-records>

Revision #3
Created 19 December 2022 22:03:32 by Lenore Winterburn
Updated 9 July 2024 01:35:53 by Cosmos